☑ eExam Question Bank	
Coursecode:	
Choose Coursecode	•
	► Assign Selected Questions to eExam
Show 150 ▼ entries	
	Search:

Question Type 👢	Question 11	A 11	В ↓↑	c 11	D 11	Answer 🕼
MCQ	If Mmarginal cost (MC) $= \frac{dTC}{dQ},$ what is total cost (TC)	$\int MCdQ = C + FC$	$\int MCdQ = VC + C$	$\int MCdQ = C$	$\int MCdQ = VC$	В
MCQ	If MPC is 0.6, and consumption is 85, determine the consumption function 'C'	0.4y+85	0.4y+85+C	0.6y+85	$\int 0.4y + 85 dx$	С
MCQ	Use the result in question '7', determine marginal propensity to save (MPS)	0.88dx	0.12dx	$0.12 \int dx$	0.12	D
MCQ	What is the marginal propensity to consume (MPC), if $C=1000+0.88y$	0.12	$\int 1000 + 0.88 dx$	$\int 1000 + 0.12 dx$	0.88	D
MCQ	Evaluate the marginal expenditure of $p=Q^3+4Q+3 \label{eq:power}$	$4Q^3 + 8Q + 3dx$	$4Q^3+8Q+3$	$\int 4Q^3 + 8Q + 3$	$4Q^3 + 8Q + 3\int dx$	В
MCQ	What is the value of total revenue (TR) using the information in questions '3' and '4' ?	#8	#90	#96	$\int 96 dx$	С
MCQ	If q is 4, determine the value of the MR using the outcome in question '3'	40-8q+c	40-8qdx	#8	$40-8q\int dx$	С
MCQ	If demand function is $p=40-8q \label{eq:proposed}$. Compute marginal revenue (MR) of the function	40-8q	80-4q	-4	36	A
MCQ	Evaluate $\int 9e^{-3x} dx$ using one of the rules of integration	$-3e^{13x}dx$	$-3e^{13x}\int dx$	$\int -3e^{13x} + C$	$-3e^{13x}+C$	D
MCQ	The difference between the definate and the indefinate integral is,	indefinate integral is definate	definate integral has limits	definate integral dependents on single variable	indefinate integral has definate value	В

MCQ	\[In matrix operation, a matrix of 3by2 dimension is intterpreted as\]	3 rows, 2 columns	2 rows, 3 columns	2 rows, 2 columns	3 rows, 3 columns	А
MCQ	Solve equation \ [y=x^{4}-6x^{3}+4x^{2}-13\] when\[x=4\], and describe the state of the funtion.	Increasing	Falling	None	Stationary	D
MCQ	Solve to indentify the nature of the function \ $[y=z^{3}-7z^{2}+6z-2]$, when \[z=4\]	Dcreasing	Increasing	Flat	Asymptotic	A
MCQ	If \[q=3p^{2}-14p+5\], where\[p=4\], solve the equation to determine the functional form of the equation.	Dcreasing	Static	Increasing	Asymptotic	С
MCQ	Determine the under the curve of the function\ [\int_{0}^{20}\frac{1}{2}xdx\]	0	20	\ [\int_{0}^{20}\frac{1} {2}xdx + C\]	100	D
MCQ	Compute the integral function \[\int_{3}^{8}6x\]	\[\int 6xdu\]	165	11	24	В
MCQ	Use constant rule of integration, evaluate\ [\int1000dx\]	\[1000dx\]	\[1000\int dx\]	\[1000x + C\]	\[1000\int dx + C\]	С
MCQ	Indentify the correct integration notation for \ [y=\sqrt{x^{3}}\]	\[\int \sqrt{x^{3}}+C\]	\[\sqrt{x^{3}}\int +C\]	\[\sqrt{x^{3}}\int dx\]	\[\int \sqrt{x^{3}}dx\]	D
MCQ	Solve the derivative function \[x^{6}\], using the rule of integration	\[\frac{1}{7}x^{7}\]	\[\frac{1}{7}x^{7} + C\]	\[\frac{1} {7}x^{7}+dx\]	\[\frac{1}{7}x^{7}\int dx\]	В
MCQ	$\int x^{n}dx = \frac{1}{n+1}x^{n+1} + C$ in the rules integration is called	power function rule	constant function rule	exponential function rule	natural function rule	A
MCQ	If \[\frac\{1\}\7\x^\{7\}\] is \\[x^\{6\}\] using differntiantion, \[\frac\{1\}\{7\x^\{7\}\] is known as	index function	primitive function	static function	forward function	В
MCQ	\[When an identity matrix is multiply by itself severally, and the result remain the same, such a matrix is known as matrix\]	Identity	Unit	Linear	Idempotent	D
MCQ	\[If the determinat of a matrix is not equal to zero, such a matrix is\]	singular	Nonsingular	null	Zero matrix	В
MCQ	\[Crama's Rule in matrix operation, is used to solve n linear equation in n unknown\]	False	Unsure	True	Indiffernt	С
MCQ	If \[y=\left (-12x^{2} \right)\], differentiate it using one of the rules of Differentiation.	\[-24\]	\[-24x\]	\[24x^{3}\]	/[0/]	В

MCQ	\[In order of matrix, where 'm' is equal to 'n', the matrix is considered	Invverse	Idempotent	Transpose	nonsingular	A
MCQ	matrix\] Find the derivative of the	\[24x\]	\[-24x\]	\[12x^{2}\]	\[12x^{-2}\]	В
	equation $[y=\left(-12x^{2} \right)]$. ,		,,	. ();	
MCQ	Given \[y=\frac{8}{x}\], solve by finding its derivative	\[-8x^{-2}\]	\[\frac{8}{x^{2}}\]	\[8x^{-2}\]	\[-8x^{2}\]	A
MCQ	Use one of the rules of differentiation to solve the equation \[y=5x^{4}\\left (3x-7 \right)\]	\[75x^{3}-140x^{2}\]	\[75x^{3}+140x^{2}\]	\ [75x^{4}+140x^{3}\]	\[75x^{4}-140x^{3}\]	D
MCQ	Differentiate the $\[Dx^{y}\]$ of $\[x^{\frac{2}{4}}\]$	\[\frac{1}{2}x^{\frac{1}} {2}}\]	\[\frac{1}{2}x^{-1}\]	\[\frac{1}{2}x^{-\frac{1}{2}}\]	\[\frac{1}{4}\]	С
MCQ	What is the $\footnote{1}{00+\frac{1}{4}x}$ of $\footnote{1}{4}x$	\[\frac{1}{4}\]	\[100\frac{1}{4}x\]	\[6\frac{1}{2}x\]	\[100.025x\]	A
MCQ	If the dependent variable is Y and the independent variable is x, find the derivative of the equation \[p=7q^{4}-3q^{3}\]	\[4q\]	\[4q^{7}\]	\[10q\]	\[28q^{3}-9q^{2}\]	D
MCQ	If \[y=\pi\], where \[\pi\] is 3.142. Differentiate the function	0	3.1	2	0.5	A
MCQ	Solve the function \ [y=\frac{1}{^{x4}}\] using the rule of differentiation	\[\frac{4}{^{x5}}\]	\[\frac{-4}{^{x5}}\]	\[x^{-4}\]	\[\frac{4}{x^{-5}}\]	В
MCQ	Identify the generalized power function rule in differentiation if \ [y=Mx^{n}\]	\[n(M)x^{n}\]	\[m(N)x^{m-1}\]	\[n(M)x^{n-1}\]	\[m(N)x^{m+1}\]	С

3/3