☑ eExam Question Bank	
Coursecode:	
Choose Coursecode	¥
	► Assign Selected Questions to eExam
Show 150 ▼ entries	
	Search:

			Search:					
Question Type J	Question J↑	A 1	В Џ↑	c 11	D	J† A	nswer 🎵	Remark J
FBQ	Antibiotics that occur naturally as substances from the mould Cephalosporium are called	Cephalosporins	Cephalosporins					eExam
FBQ	Microorganisms that obtain energy from oxidation of chemical compounds are called	Chemotrophs	Chemotrophs					eExam
FBQ	Microorganisms that use light energy are called	Phototrophs	Phototrophs					eExam
FBQ	Microorganisms that use organic molecules as their source of carbon are called	Heterotophs	Heterotophs					eExam
FBQ	Microorganisms that use CO2 as their primary source of carbon are called	Autotrophs	Autotrophs					еЕхат
FBQ	Viruses can exist in two phases; and intracellular.	Extracellular	Extracellular					eExam
FBQ	They are genetic elements that only reproduce when present within living cells called cells.	Host	Host					eExam
FBQ	The female sex organelle of fungi is called the	Oogonium	Oogonium					eExam
FBQ	Some yeasts are facultatively anaerobic and can obtain their energy by	Fermentation	Fermentation					eExam
FBQ	The male sex organelle of fungi is called the	Antheridium	Antheridium					eExam
FBQ	The sex organelles of fungi if present are called	Gametangia	Gametangia					eExam

FBQ	Yeast reproduces asexually by .	Budding	Budding		eExam
FBQ	Some fungi are inhabiting and infecting living hosts either plants or animals.	Parasitic	Parasitic		eExam
FBQ	Some fungi are living primarily in fresh water.	Aquatic	Aquatic		eExam
FBQ	Fungi generally reproduce both and asexually.	Sexually	Sexually		eExam
FBQ	Fungi have no	Chlorophyll	Chlorophyll		eExam
FBQ	Fungi are spore bearing organisms.	Eukaryotic	Eukaryotic		eExam
FBQ	Bacteria are single celled organisms that lack membrane-bound organelles.	Prokaryotic	Prokaryotic		еЕхат
FBQ	Strict cannot tolerate oxygen.	Anaerobes	Anerobe		eExam
FBQ	Based on the source of carbon which is the major source of nutrient for all cells bacteria can be classified as heterotrophs and	Autotrophs	Autotroph		eExam
FBQ	Bacteria that obtain their energy by oxidizing inorganic or organic – chemical compounds are called	Chemotrphs	Chemotroph		еЕхат
FBQ	Bacteria that use light energy as their energy sources are called	Phototrophs	Phototroph		eExam
FBQ	The is metabolically dormant form which under appropriate condition can germinate to form a vegetative cell.	Spore	Spore		eExam
FBQ	The DNA is circular and bears the of the cell.	Genes	Gene		eExam
FBQ	The cell material is bounded by the cytoplasmic	Membrane	Membrane		eExam

FBQ	The provides structural rigidity and forms barrier against the outside environment.	Cell wall	Cell wall		eExam
FBQ	Capsules are usually for identification.	Antigenic	Antigenic		eExam
FBQ	Viscous substance forming a covering layer or envelope around the cell wall of some bacteria is called	Capsule	Capsule		eExam
FBQ	Pili are also called	Fimbrae	Fimbrae		eExam
FBQ	Lophotrichous is a of polar flagella.	Cluster	Cluster		eExam
FBQ	Hair like, helical appendages that protrude through the cell wall is called	Flagellum	Flagellum		eExam
FBQ	Helical, flexible, coiled arrangements of micro-organisms are called	Spirochaettes	Spirochaettes		eExam
FBQ	Staphylococci in  clusters like a bunch of grapes.	Irregular	Irregular		eExam
FBQ	Bacteria have high surface ratio which results in a high growth and metabolism rate.	Area/volume	Area/volume		eExam
FBQ	Biological warfare is also known as warfare.	Germ	Bio		eExam
FBQ	Cholera caused by a bacteria	Vibrio cholera	V. cholera		eExam
FBQ	Malaria caused by four species of the Protozoa called	Plasmodium	Plasmodium		eExam
FBQ	Microorganisms can be used to clean up pollution created by human activities in a process called	Bioremediation	Bioremediation		eExam
FBQ	Lactic acid is produced by different lactic acid bacteria for example, delbrueckii.	Lactbaccillus	Lactbaccillus		eExam

FBQ	acid produced by Aspergillus niger.	Citric	Citric		eExam
FBQ	Gluconic acid can be produced by several including Penicillium and Aspergillus species.	Fungi	Fungi		eExam
FBQ	is produced by various species of Clostridium and Ashbya gossypii.	Riboflavin	Riboflavin		eExam
FBQ	Streptomyces, Pseudomonas denitrificans and Propionibacterium shermanni can produce vitamin	B12	B12		eExam
FBQ	Vaccines are produced using microorganisms with the properties to elicit a primary immune response.	Antigenic	Antigenic		eExam
FBQ	Steroids regulate various aspects of human metabolisms and are produced by organisms such	Rhizopus nigricans	Rhizopus nigricans		еЕхат
FBQ	Microbially produced substances or substances synthetically derived from natural sources that inhibit or kill microorganisms are	Antibiotics	Antibiotics		eExam
FBQ	Microorganisms used as direct source of food known as cell protein.	Single	Single		eExam
FBQ	Wine fermented from fruits uses strains Saccharomyces cerevisiae.	Yeast	Yeast		eExam
FBQ	Microorganisms are used to produce alcoholic beverages such as beer by conversion of to alcohol and carbon dioxide.	Sugar	Sugar		eExam
FBQ	Fermentation products include and lactic acid.	Ethanol	Ethanol		eExam
FBQ	Electron microscopes use a beam of electrons to and create magnified images of specimens.	Illuminate	Illuminate		еЕхат

FBQ	The acid-alcohol will remove the red stain form bacteria such as	Escherichia coli	Escherichia coli				eExam
FBQ	Acid-alcohol is used as a acid fast staining procedure.	Decolouriser	Decolouriser				eExam
FBQ	The acid fast staining procedure uses the red stain and carbol fuchsin as stain.	Primary	Primary				еЕхат
FBQ	The pathogen responsible for leprosy is	Mycobacterium leprae	Mycobacterium leprae				eExam
FBQ	The pathogen responsible for tuberculosis is	Mycobacterium tuberculosis	Mycobacterium tuberculosis				eExam
FBQ	A differential staining procedure commonly used to identify Mycobacterium tuberculosis and Mycobacterium leprae is called staining.	Acid fast	Acid fast				еЕхат
FBQ	Gram bacteria retain the crystal violet and appear deep violet in colour.	Positive	Positive				eExam
FBQ	The staining procedure that usually involves more than one dye to make visible the differences between bacterial cells or part of a bacterial cell is calledstaining.	Differential	Differential				eExam
FBQ	Basic dyes such as crystal violet, methylene blue, and carbolfuchsin are used in staining.	Simple	Simple				eExam
MCQ	The specie of hookworm capable of causing intestinal infection in human being is	Haemonchus contortus	Necator americanus	Nippostrongylus brasiliensis	All of the above	В	eExam
MCQ	Roundworm infections of the constitute the largest group of helminthic diseases in humans.	Eyes	Soft tissues	Intestines	Lympahtics	С	eExam
MCQ	Nematode infections in humans include all but	Amoebiasis	Trichuriasis	Ascariasis	Enterobiasis	A	eExam
MCQ	Nematodes are usually	Bisexual	Asexual	Nonsexual	Sterile	А	eExam
MCQ	The sub-stage focuses a core of light on the slide.	Condenser	Base	Stand	Mirror	А	eExam

MCQ	The is positioned about halfway up the arm and hold microscope slides by slide.	Stand	Base	Arm	Stage	D	eExam
MCQ	The fine and coarse adjustment knobs are located on the	Stand	Base	Arm	Stage	С	eExam
MCQ	The light source of a microscope is either a or an electric illuminator.	Stand	Base	Arm	Mirror	D	eExam
MCQ	A light source of a microscope is located at the	Stand	Base	Arm	Stage	В	eExam
MCQ	The microscope consists of a sturdy metal body or	Stand	Base	Arm	Stage	А	eExam
MCQ	The magnified image formed by the lens of a microscope.	Plain	Reflective	Objective	Subjective	С	eExam
MCQ	Traditional microscopes are microscopes.	Simple	Compound	Complex	Complicated	А	eExam
MCQ	Modern microscopes are microscopes.	Simple	Compound	Complex	Complicated	В	eExam
MCQ	The ordinary microscope forms a dark image against a background.	Darker	Brighter	Undifferentiated	Contrast	В	eExam
MCQ	The ordinary microscope is called a microscope.	Dark field	Bright field	Phase contrast	Electron	В	eExam
MCQ	The most commonly used fluorescence microscope light is microscope.	Dark field	Bright field	Phase contrast	Epifluorescent	D	eExam
MCQ	The microscope exposes a specimen to ultraviolet, violet or blue light.	Dark field	Bright field	Phase contrast	Fluorescent	D	eExam
MCQ	The microscope is very useful for studying microbial motility.	Dark field	Bright field	Phase contrast	Fluorescent	С	eExam
MCQ	The microscope is useful in revealing many internal structures in larger eukaryotic microorganisms.	Dark field	Bright field	Phase contrast	Electron	A	eExam
MCQ	The study of prospect for deposits of coal, oil and gas and recovery of minerals from low-grade ores is Microbiology	Medical	Agricultural	Industrial	Geochemical	D	eExam
MCQ	Exomicrobiology deals with exploration for life in	Outerspace	Ocean	Atmosphere	Rivers	A	eExam
MCQ	Dissemination of diseases in the air, contamination and spoilage ismicrobiology.	Aero	Medical	Public health	Immunology	А	eExam

MCQ	Food and microbiology deals with the methods of preventing microbial spoilage of food and the transmission of food-borne diseases.	Medical	Agricultural	Dairy	Public health	С	eExam
MCQ	The study of practical health problem such as the nature and treatment of allergies auto-immune diseases like rheumatoid arthritis is	Immunology	Agricultural	Marine	Medical	A	eExam
MCQ	The identification and the control of the spread of communicable diseases is microbiology.	Medical	Agricultural	Public health	Marine	С	еЕхат
MCQ	Aquatic and	Medical	Agricultural	Industrial	Marine	D	еЕхат
MCQ	The production of hormones and proteins by genetically engineered microorganism is in the field of microbiology.	Medical	Agricultural	Industrial	Marine	С	eExam
MCQ	The study of microbial processes in the soil to promote plant growth is Microbiology.	Medical	Agricultural	Industrial	Marine	В	eExam
MCQ	The study of the causative agents of diseases, diagnostic procedures for identification of the causative agents and preventive measures is  Microbiology.	Medical	Agricultural	Industrial	Marine	Α	eExam
MCQ	The discovery of microbial enzymes and the chemical reactions they carry out is	Ecology	Biochemistry	Cytology	Physiology	В	eExam
MCQ	Microbial is the study of the classification of microorganisms or the grouping of microorganisms.	Ecology	Taxonomy	Cytology	Physiology	В	eExam
MCQ	Microbial is the study of microorganisms in their natural environment.	Ecology	Biochemistry	Cytology	Physiology	A	eExam
MCQ	Microbial studies of the nutrients that microorganisms require for metabolism and growth and the products that they make from nutrients.	Ecology	Biochemistry	Cytology	Physiology	D	eExam
MCQ	Microbial studies the structures of microbial cells.	Ecology	Biochemistry	Cytology	Physiology	С	eExam

MCQ	A branch of protozoology called deals exclusively with the parasite or disease producing organisms.	Bacteriology	Mycology	Parasitology	Algology	С	eExam
MCQ	Protozoology is the study of	Bacteria	Fungi	Protozoa	Algae	С	eExam
MCQ	Algology is the study of	Bacteria	Fungi	Viruses	Algae	D	eExam
MCQ	Mycology is the study of	Bacteria	Fungi	Viruses	Algae	В	eExam
MCQ	The study of bacteria is	Algology	Mycology	Bacteriology	Virology	С	eExam
MCQ	Edward Jenner used a vaccination procedure to protect individuals from	Small pox	Chicken pox	Wild pox	Polio	A	eExam
MCQ	An effective sterilization method which involve holding juices and milk at 62.8OC (145OF) for 30 minutes known as	Disinfection	Pasteurization	Autoclaving	Steaming	В	eExam
MCQ	was the first to grow bacteria on solid culture media to get pure culture.	Robert Hooke	Anthony Van Leeuwenhoek	Louis Jablot's	Robert Koch	D	eExam
MCQ	The relationship between Bacillus anthracis and the disease it causes, anthrax was established by	Robert Hooke	Anthony Van Leeuwenhoek	Louis Jablot's	Robert Koch	D	eExam
MCQ	is known as the father of bacteriology.	Robert Hooke	Anthony Van Leeuwenhoek	Louis Jablot's	Robert Koch	В	eExam
MCQ	An English mathematician and natural historian that first to make a known description of microorganisms is	Robert Hooke	Anthony Van Leeuwenhoek	Louis Jablot's	Robert Koch	А	eExam
MCQ	Protozoa are unicellular, eukaryotic organisms that are usually	Motile	Nonmotile	Amobile	Immobile	A	eExam
MCQ	The primary producers in food chains in aquatic habitat are	Bacteria	Algae	Protozoa	Metazoa	В	eExam
MCQ	Algae produce about of the plant's oxygen.	100%	75%	50%	20%	В	eExam
MCQ	Algae are simple organisms, mostly	Cellular	Unicellular	Multicellular	Acellular	В	eExam
MCQ	The major groups of microorganism in domain Eucarya are protists and	Bacteria	Viruses	Protozoa	Fungi	D	eExam
MCQ	Domain Archaea was formerly known as	Archaeobacteria	Eucarya	All of the above	None of the above	А	eExam

MCQ	Prokaryotic cells are single celled organisms which lack bound nucleus and organelles.	Membrane	Chloroplast	Protoplast	Cytoplasm	A	eExam
MCQ	Based on cell type and mode of nutrition, there are kingdom system of classifying organisms.	Two	Three	Four	Five	D	eExam
MCQ	cells possess a membrane-bound nucleus and organelles.	Prokaryotic	Eukaryotic	Polykaryotic	Nanokaryotic	В	eExam
MCQ	The microorganisms are visible without magnification.	Prokaryotic	Eukaryotic	Polykaryotic	Nanokaryotic	В	eExam
MCQ	Organisms having more than one cell are called	Cellular	Unicellular	Multicellular	Acellular	С	eExam
MCQ	In organisms all the life processes are performed by a single cell.	Cellular	Unicellular	Multicellular	Acellular	В	eExam
MCQ	The is the fundamental unit of life.	Cell	Muscle	Heart	Brain	А	eExam
MCQ	Microorganism entities at the borderline of life that are called	Bacteria	Viruses	Protozoa	Metazoa	В	eExam
MCQ	Escherichia coli that are found in the alimentary canal are harmless.	Lower	Higher	Intermediate	Proximal	A	eExam

Previous

1 Next